Information document Penta aging plant

Penta Caleidos aging line with 4 sorting lines

Year of built 2003 Controls S7

Power consumption 310 kW, 380 V, 50Hz

Pressured air 7Bar

Capacity 500 m² per hour

Pallet system Automatic pallet destacker Horizontal strapping Sander variomaster 9490


Shrink wrapping BTH SHM-070

All pictures in this document are available in high resolution also.

Complete manual with maintenance instructions and spare parts list included (German).

Available videos:

- 01 Drum feed and presorting
- 02 Drum exit and conveyors to sorting lines
- 03 Sorting of stones
- 04 Sorting and layer forming
- 05 Cubing
- 06 Strapping and wrapping
- 07 Placing cubes onto cart transport
- 08 Original demo movie Penta Caleidos aging line





Feeding line to the drum



Feeding line with drum



Rotating drum with the option to submerge the stones



Outlet of the drum



The 4 sorting discs



Sorting disc with return system for off-positioned stones



Controls



Overview of the first part of the sorting lines



Overview of the second part of the sorting lines




The packing line with 4 cubers



Wrapping unit



The cubers




Cubing



Strapper



Backside of the wrapping machine



Backside of the strapping machine



Controls of the cubers



Cart system for transporting the cubes to the yard



Automatic pallet destacker



Packs being loaded onto carts




Dust extraction



Dust extraction





Spare parts



Spare parts









Documentation