

according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 Replaces version of: 25.06.2020 (GHS 5)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Vinegar Ext. 10% - 24%

Registration number (REACH) 01-2119475328-30-0128, not relevant (mixture)

Alternative number(s) 40932

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Food Grade

1.3 Details of the supplier of the safety data sheet

Burg Group B.V. Marconistraat 26 1704 RG Heerhugowaard Netherlands

Telephone: +31 (0)72 5717944 e-mail: info@burggroup.eu Website: www.burggroup.eu

1.4 Emergency telephone number

Emergency information service +31 (0)72 5717944

This number is only available during the follow-

ing office hours: Mon-Fri 09:00 - 17:00

Poison centre

Country	Name	Telephone
Netherlands	Nationaal Vergiftingen Informatie Centrum (NVIC) Uitsluitend bestemd om professionele hulpverleners te in- formeren bij acute vergiftigingen.	+31 30 2748888

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard statement	Hazard class	Hazard class and category
H315	skin corrosion/irritation	Skin Irrit. 2
H319	serious eye damage/eye irritation	Eye Irrit. 2

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning
- Pictograms

GHS07



Netherlands: en Page: 1 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 Replaces version of: 25.06.2020 (GHS 5)

- Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

•••

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

Identifiers

REACH Reg. No 01-2119475328-30-0128

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Specific Conc. Limits	M-Factors
acetic acid	CAS No 64-19-7 EC No 200-580-7 Index No 607-002-00-6 REACH Reg. No 01-2119475328- 30-xxxx		Flam. Liq. 3 / H226 Skin Corr. 1A / H314 Eye Dam. 1 / H318		Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Netherlands: en Page: 2 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 Replaces version of: 25.06.2020 (GHS 5)

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Call a doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Let water be drunken in little sips (dilution effect).

4.3 Indication of any immediate medical attention and special treatment needed

Seek the advice of a specialist.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Special protective equipment for firefighters. Self-contained breathing apparatus (SCBA).

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Netherlands: en Page: 3 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020

Replaces version of: 25.06.2020 (GHS 5)

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

Frost

- Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

Read attached instructions before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Nota tion	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Sourc e
EU	acetic acid	64-19-7		IOELV	10	25	20	50			2017/ 164/EU
NL	acetic acid (eth- anoic acid)	64-19-7		GW		25		50			SC-SZW

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)
TWA time-weighted average (long-te

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Netherlands: en Page: 4 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 (GHS 5)

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Work with safety glasses.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness

0.35 mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	various
Odour	characteristic

Other safety parameters

pH (value)	2,5
Melting point/freezing point	-20 °C
Initial boiling point and boiling range	not determined
Flash point	>60 °C at 101,3 kPa
Evaporation rate	not determined

Netherlands: en Page: 5 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 (GHS 5)

Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapour pressure	2,339 kPa (calculated value, referring to a component of the mixture)
Density	1,025 – 1,03 ^g / _{cm³}
Vapour density	not determined

Solubility(ies)

- Water solubility	miscible in any proportion
	, · · ·

Partition coefficient

- n-octanol/water (log KOW)	not determined
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

9.2 Other information there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Netherlands: en Page: 6 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 Replaces version of: 25.06.2020 (GHS 5)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
acetic acid	64-19-7	oral	LD50	3.530 ^{mg} / _{kg}	rat
acetic acid	64-19-7	inhalation: va- pour	LC50	450 ^{mg} / _l /1h	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Netherlands: en Page: 7 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 (GHS 5)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not assigned
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Acetic acid solutions with no more than 10% acid by mass, are not subject to the requirements of ADR.

The carriage of vinegar and acetic acid food grade with no more than 25% pure acid by mass is subject only to the following requirements:

- a) Packaging, including IBCs and large packagings, and tanks shall be manufactured from stainless steel or plastic material which is permanently resistant to corrosion of vinegar/acetic acid food grade.
- b) Packaging, including IBCs and large packagings, and tanks shall be subjected to a visual inspection by the owner at least once a year. The results of the inspections shall be recorded and the records kept for at least one year. Damaged packaging, including IBCs and large packagings, and tanks shall not be filled.
- c) Packaging, including IBCs and large packagings, and tanks shall be filled in a way that no product is spilled or adheres to the outer surface.
- d) Seals and closures shall be resistant to vinegar/acetic acid food grade. Packaging, including IBCs and large packagings, and tanks shall be hermetically sealed by the packer or the filler so that under normal conditions of carriage there be no leakage.
- e) Combination packagings with inner packaging made of glass or plastic which fulfil the general packing requirements may be used.

Netherlands: en Page: 8 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 Replaces version of: 25.06.2020 (GHS 5)

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

not assigned

International Maritime Dangerous Goods Code (IMDG)

Information for each of the UN Model Regulations

Class 8.

International Civil Aviation Organization (ICAO-IATA/DGR)

not assigned

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

none of the ingredients are listed

National regulations (Netherlands)

Algemene Beoordelingsmethodiek, ABM (general assessment methodology, GAM)

Water hazard and decontamination effort

Water haz- ard	Water hazard designation	Decontamina- tion effort
B (4)	low hazard for aquatic organisms	В

SZW-lijst CMR effects

none of the ingredients are listed

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Trade name: Vinegar Ext. 10% - 25%	Trade name: Vinegar Ext. 10% - 24%	yes

Netherlands: en Page: 9 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 (GHS 5)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	

Netherlands: en Page: 10 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Vinegar Ext. 10% - 24%

Version number: GHS 6.0 Revision: 25.06.2020 (GHS 5)

Abbr.	Descriptions of used abbreviations	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
SC-SZW	Staatscourant: Regeling van de Minister van Sociale Zaken en Werkgelegenheid tot wijziging van de Arbeidsomstandighedenregeling	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
STEL	Short-term exposure limit	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Netherlands: en Page: 11 / 11