

Meetgegevens influent periode 14/4 – 30/4

		890002166365	14.04.2023	06:42:43	917203848			Meter reading	0.00	0.00	1,490.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,100.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	32.00	mg/l
								pH potentiometric	4.00	8.00	7.40	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	20.37	mg/l
								Pollution Units	0.00	12,500.00	10,749.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,475.00	kg
								Protein in wastewater (calc)	0.00	0.00	194.00	kg
								Phosphate KG	0.00	0.00	47.70	kg/kg
		890002167388	15.04.2023	06:49:58	917210427			Meter reading	0.00	0.00	1,246.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,214.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	45.00	mg/l
								pH potentiometric	4.00	8.00	6.00	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	22.48	mg/l
								Pollution Units	0.00	12,500.00	9,920.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,361.00	kg
								Protein in wastewater (calc)	0.00	0.00	179.00	kg
								Phosphate KG	0.00	0.00	56.10	kg/kg
		890002168028	16.04.2023	06:16:57	917215955			Meter reading	0.00	0.00	1,338.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,032.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	40.00	mg/l
								pH potentiometric	4.00	8.00	7.84	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	19.11	mg/l
								Pollution Units	0.00	12,500.00	9,056.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,243.00	kg
								Protein in wastewater (calc)	0.00	0.00	163.00	kg
								Phosphate KG	0.00	0.00	53.50	kg/kg
		890002174618	21.04.2023	06:37:10	917248335			Meter reading	0.00	0.00	1,265.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,222.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	7.60	mg/l
								pH potentiometric	4.00	8.00	6.85	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	22.63	mg/l
								Pollution Units	0.00	12,500.00	10,138.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,391.00	kg
								Protein in wastewater (calc)	0.00	0.00	183.00	kg
								Phosphate KG	0.00	0.00	9.60	kg/kg
		890002175540	22.04.2023	06:34:21	917254159			Meter reading	0.00	0.00	1,436.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,108.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	28.00	mg/l
								pH potentiometric	4.00	8.00	4.20	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	20.52	mg/l
								Pollution Units	0.00	12,500.00	10,435.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,432.00	kg
								Protein in wastewater (calc)	0.00	0.00	188.00	kg
								Phosphate KG	0.00	0.00	40.20	kg/kg
		890002176463	23.04.2023	06:07:00	917258984			Meter reading	0.00	0.00	1,426.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,022.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	27.00	mg/l
								pH potentiometric	4.00	8.00	4.78	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	18.93	mg/l
								Pollution Units	0.00	12,500.00	9,558.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,312.00	kg
								Protein in wastewater (calc)	0.00	0.00	172.00	kg
								Phosphate KG	0.00	0.00	38.50	kg/kg
		890002182244	28.04.2023	06:51:32	917289812			Meter reading	0.00	0.00	1,320.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,488.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	4.20	mg/l
								pH potentiometric	4.00	8.00	7.60	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	27.56	mg/l
								Pollution Units	0.00	12,500.00	12,881.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,768.00	kg
								Protein in wastewater (calc)	0.00	0.00	232.00	kg
								Phosphate KG	0.00	0.00	5.50	kg/kg
		890002183232	29.04.2023	06:16:57	917295842			Meter reading	0.00	0.00	1,437.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,352.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	48.00	mg/l
								pH potentiometric	4.00	8.00	7.07	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	25.04	mg/l
								Pollution Units	0.00	12,500.00	12,741.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,749.00	kg
								Protein in wastewater (calc)	0.00	0.00	230.00	kg
								Phosphate KG	0.00	0.00	69.00	kg/kg
		890002184355	30.04.2023	06:31:53	917300777			Meter reading	0.00	0.00	1,252.00	m3
								COD (chemical oxygen demand)	0.00	0.00	1,146.00	mg/l
								Phosphate, Hach Lange cuvette (PO4)	0.00	50.00	36.00	mg/l
								pH potentiometric	4.00	8.00	6.48	mg/l
								Nitrogen Kjeldahl (calc.)	0.00	0.00	21.22	mg/l
								Pollution Units	0.00	12,500.00	9,410.00	mg/l
								COD kg per day (calculated)	0.00	0.00	1,291.00	kg
								Protein in wastewater (calc)	0.00	0.00	170.00	kg
								Phosphate KG	0.00	0.00	45.10	kg/kg